



US006630566B1

(12) **United States Patent**
Allen et al.

(10) Patent No.: **US 6,630,566 B1**
(45) Date of Patent: **Oct. 7, 2003**

(54) **POLYMERIC MATERIAL COMPRISING N, P, S, AS, OR SE AND COMPOSITION FOR CHARGE TRANSPORT MATERIAL**

EP 0 506 368 9/1992

OTHER PUBLICATIONS

(75) Inventors: **Joanne Victoria Allen**, Blackley (GB);
John Dylan Morgan, Blackley (GB);
Julie Anne Fergus, Blackley (GB);
Mark Thomas, Liverpool (GB);
Stephen William Leeming, Blackley (GB)

Patent Abstracts of Japan, vol. 008, No. 24 (C-208), Feb. 2, 1984 & JP 58 189254 A (Kogyo Gijutsuin; others: OJ), Nov. 4, 1983 see abstract.

Primary Examiner—Duc Truong
(74) *Attorney, Agent, or Firm*—Pillsbury Winthrop LLP

(73) Assignee: **Avecia Limited**, Blackley (GB)

(57) ABSTRACT

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

A polymeric material comprises at least one repeat unit consisting substantially of a moiety of Formula 1:

(21) Appl. No.: **09/581,914**

(22) PCT Filed: **Dec. 16, 1998**

(86) PCT No.: **PCT/GB98/03685**

§ 371 (c)(1),
(2), (4) Date: **Oct. 2, 2001**

(87) PCT Pub. No.: **WO99/32537**

PCT Pub. Date: **Jul. 1, 1999**

(30) Foreign Application Priority Data

Dec. 19, 1997 (GB) 9726810

(51) Int. Cl.⁷ **C08G 73/00; C08G 75/00**


(52) U.S. Cl. **528/422; 528/373; 528/398; 525/328.5; 428/690; 428/917; 250/462.1**

(58) Field of Search **528/422, 373, 528/398; 525/328.5; 428/690, 914; 250/462.1**

(56) References Cited

FOREIGN PATENT DOCUMENTS

DE 3610649 10/1987



Formula 1

in which Y¹ represents N, P, S, As and/or Se, Ar¹ and Ar², which may be the same or different, represent independently a multivalent, optionally substituted aromatic group, and Ar³ represents independently a mono or multivalent, optionally substituted aromatic group. At least one terminal group is attached in the polymer to the Ar¹, Ar² and optionally Ar³ groups located at the end of the polymer chains, so as to cap the polymer chains and prevent further polymer growth. At least one terminal group is derived from at least one end capping reagent used in the polymerisation to form the polymeric material to control the molecular weight thereof. A charge transport material comprising such polymers is useful in electroreprographic and electroluminescent devices. These polymers may be made by controlling their molecular weight with an end capping reagent.

13 Claims, 5 Drawing Sheets

